Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
1:1	33	(US-20010013087-\$ or US-20020067820-\$ or US-20020087807-\$ or US-20020157089-\$ or US-20030093777-\$ or US-20040044794-\$).did. or (US-5129084-\$ or US-5136712-\$ or US-5187790-\$ or US-5584035-\$ or US-5687368-\$ or US-5729710-\$ or US-5842226-\$ or US-5890156-\$ or US-6003066-\$ or US-604811-\$ or US-6226653-\$ or US-6425057-\$ or US-6453404-\$ or US-6496850-\$ or US-6526580-\$ or US-6546473-\$ or US-6638315-\$ or US-6654948-\$ or US-6658653-\$ or US-6681381-\$ or US-66801223-\$ or US-6363411-\$).did. or (US-6438573-\$).did.	US-PGPUB; USPAT; DERWENT	OR.	ON	2005/01/12 16:43
L2	6	1 and ((new\$2 near3 object) same count)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 16:44
S1	9101	((717/118,127,140,178) or (711/203) or (709/201,248) or (709/201,203,248) or (707/103R) or (718/104,107)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 11:46
S2	2	("6638315").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 11:49
S3	2	("6438573").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 11:49
S4	4	(("5584035") or ("6654948")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/04/17 11:50

S5	41	(@ad<="20010406" or @rlad<="20010406") and ((reclaim\$4 same ((persistent adj3 space) or memory)) or ((track\$5 or detect\$4) same unused)) and (Java or object-oriented) and (surveillance or monitor\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/01/10 13:24
S6	1	((@ad<="20010406" or @rlad<="20010406") and ((reclaim\$4 same ((persistent adj3 space) or memory)) or ((track\$5 or detect\$4) same unused)) and (Java or object-oriented) and (surveillance or monitor\$4).clm.) and ((API or agent or instrument\$4) same (monitor\$5 near8 execution))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:58
S7	4	("5590056" "5608908" "5819094" "6405364").PN.	USPAT	OR	ON	2004/04/15 17:13
S8	4	object-oriented and (monitor\$4 same execution) and (reclaim\$4 same (memory or space)) and ((unused or orphan or expired) near5 (object or class or structure or method))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:40
S9	4	(object-oriented and (monitor\$4 same execution) and (reclaim\$4 same (memory or space)) and ((unused or orphan or expired) near5 (object or class or structure or method))) and (@ad<="20010406" or @rlad<="20010406")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:23
S10	77	((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:22
S11	32	(((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)) and (@ad<="20010406" or @rlad<="20010406") and ("707"/\$ or "717"/\$ or "714"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:27

S12	12	(((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)) not ((((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)) and (@ad<="20010406" or @rlad<="20010406") and ("707"/\$ or "717"/\$ or "714"/\$)) and (monitor\$4 same (execution or (run near4 time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:25
S13	12	((((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)) and (@ad<="20010406" or @rlad<="20010406") and ("707"/\$ or "717"/\$ or "714"/\$)) and ((deallocat\$4 or reclaim\$5) near8 (space or memory or heap or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:26
S14	4	((((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)) not ((((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)) and (@ad<="20010406") and ("707"/\$ or "717"/\$ or "714"/\$)) and (monitor\$4 same (execution or (run near4 time)))) and ((deallocat\$4 or reclaim\$5) near8 (space or memory or heap or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:30

S15	12	((((((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)) and (@ad<="20010406" or @rlad<="20010406") and ("707"/\$ or "717"/\$ or "714"/\$)) and ((deallocat\$4 or reclaim\$5) near8 (space or memory or heap or RAM))) and (@ad<="20010406" or @rlad<="20010406")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:28
S16	2	(((((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)) not ((((remov\$3 or delet\$3 or deactiva\$3 or terminat\$4) near4 (section or space or segment)) and (object near4 (expir\$4 or terminat\$4 or unused)) and ((memory or RAM or heap) same execution)) and (@ad<="20010406" or @rlad<="20010406") and ("707"/\$ or "717"/\$ or "714"/\$)) and (monitor\$4 same (execution or (run near4 time)))) and ((deallocat\$4 or reclaim\$5) near8 (space or memory or heap or RAM))) and (@ad<="20010406")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:44
S17	17	"5729710".URPN.	USPAT	OR	ON	2004/04/15 17:29
S18	3	"5729710".URPN. and ((deallocat\$4 or reclaim\$5 or salvag\$4) near8 (space or memory or heap or RAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:30
S19	1	object-oriented and (monitor\$4 same execution) and "5729710". URPN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:41

S20	19	((remov\$4 or deallocat\$4 or reclaim\$4) near8 (namespace or section)) and ((execution or object) near8 (monitor\$4 or surveill\$5)) and (("717"/\$ and Java) or (network same manag\$6)) and (expir\$6 near8 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:44
S21	19	(((remov\$4 or deallocat\$4 or reclaim\$4) near8 (namespace or section)) and ((execution or object) near8 (monitor\$4 or surveill\$5)) and (("717"/\$ and Java) or (network same manag\$6)) and (expir\$6 near8 time)) and (@ad<="20010406" or @rlad<="20010406")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:50
S22	365	orphan\$2.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:50
S23	10	orphan\$2.ab. and (monitor\$5 near8 (application or execution))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/15 17:51
S28	12	((regist\$6 deregistr\$6 monitor\$6) near6 (object near2 class)) and ((reach\$4 longer surpass\$4 expir\$6) near8 (time near6 (life threshold limit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 14:33
S29	48	(@ad<="20010406" or @rlad<="20010406") and ((reclaim\$4 same ((persistent adj3 space) or memory)) or ((track\$5 or detect\$4) same unused)) and (Java or object-oriented) and (surveillance or monitor\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 13:24
S30	11	S28 and (@ad<="20010406" or @rlad<="20010406")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:29
S31	5	S29 and ((reach\$4 longer surpass\$4 expir\$6) near8 (time near6 (life threshold limit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:08

S32	11	S30 not S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 14:07
S33	11	S30 and ((reach\$4 longer surpass\$4 expir\$6) near8 (time near6 (life threshold limit)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:25
S34	30	((record or table or structure) near7 (pointer field) near8 ((expiration or end) adj3 time)) and ((remov\$4 or expung\$4 or extract\$4 or evict\$5 or discard\$4) near8 (memory or cache))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/01/10 15:29
S35	18	S34 and (@ad<="20010406" or @rlad<="20010406")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:38
S36	3	S35 and ((object or class or (application adj2 interface) or API) near6 (instanc\$3 or instantiat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 15:46

	T	·						
S37	243		"3609697"	•	US-PGPUB;	OR	ON	2005/01/10 15:50
			"3798359"		USPAT;		1	
			"3798605"	•	USOCR			
			"3829833"					
			"3911397"	•]	
	1		"3931504"	•			1	
	1		"3956615"	•			:	
			"3970992"	•				
			"4071911"	•				
			"4120030"	•				
		"4163280"	"4168396"					
		"4196310"	"4200913"					
		"4209787"	"4217588"	1				l
		"4220991"	"4232193"	1				
		"4232317"	"4236217"					
		"4253157"	"4262329"					
	1	"4265371"	"4270182"					
			"4305131"					*
			"4309569"	•				
			"4323921"					
			"4337483"					
			"4375579"					
ĺ			"4434464"					
			"4446519"					
			"4458315"					
			"4462078"				:	
			"4471163"					
			"4494156"					
			"4528588"					
			"4553252"		,			
			"4558413"					
			"4562495"					
			"4584641"	•				
			"4589064"					
		"4593353"						
			"4597058"	i				
1			"4644493"	i				
			"4652990"	j				
		"4658093"		j ,				
			"4677434"					'
			"4683553"					
	·		"4688169"					
			"4696034"					
		"4701846"						
			"4740890"					
	🔻	"4747139"						
		"475753 4 "						
			"4796181"					
		"4799156"						
		"4817140"						,
		"4827508"						
		"4864494"		j				
		"4903296"						
		"4930073"						
		"4977594"		j				
		"5001752"		; 				
		"5005200"	"5010571"					
Search I	listory 1/12	/05-5:07:3 4 ,PI	1"5047928"	i				
C:\APPS	EAST\Works	ace5048885 ⁸¹	0.75050213"	j				
	l l	"5001066"	"5103307"	i				

S38	6	S37 and ((MIB and API) or (application near3 management)) and (time near8 expir\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:20
S39	287	((object or application) near5 (registration or registered)) and ((MIB and API) or (application near3 management)) and (time near8 expir\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/10 16:21
S40	3	S39 and (@ad<="20010406" or @rlad<="20010406") and ((record or table or structure or list) near7 ((pointer field) near8 ((expiration or end) adj3 time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:13
S41	511	(((class or object) near6 memory) same ((frequent\$3 hot most least) near6 (used accessed executed)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 10:07
S43	2	S41 and (((expung\$5 remov\$4 evict\$4 discard\$4) near6 (record table object file)) same (time near4 (expir\$6 exhaust\$5 end\$4 limit threshold)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 12:00
S44	45	(management near4 application) and (((expung\$5 remov\$4 evict\$4 discard\$4) near6 (record table object file)) same (time near4 (expir\$6 exhaust\$5 end\$4 limit threshold)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:12
S46	29	S44 and (@ad<="20010406" or @rlad<="20010406")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:46
S47	24	(MIB or (application near2 management)) and ((record or table or structure or list) near7 ((pointer field entry) near8 ((expiration or end or interval or lapse or stamp) adj3 time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:16
S48	7	("6425057").URPN.	USPAT	OR	ON	2005/01/11 11:42
S49	532	((execution metric frequency) near2 (record or table)) and ((time and (elaps\$4 interval exhaust\$4 threshold)) same (remov\$3 discard\$3 evic\$3 demot\$4 expung\$4 delet\$4))	USPAT	OR	ON	2005/01/11 11:45

S50	44	S49 and (@ad<="20010406" or @rlad<="20010406") and (memory or (management near2 application)) and ((program object class) near4 instantiat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:59
S51	32	(US-20020087807-\$ or US-20020157089-\$ or US-20030004882-\$ or US-20030009538-\$ or US-2003009538-\$ or US-20030093777-\$ or US-20040044794-\$ or US-20020067820-\$).did. or (US-5048085-\$ or US-5129084-\$ or US-5136712-\$ or US-5187790-\$ or US-5584035-\$ or US-5687368-\$ or US-5729710-\$ or US-5842226-\$ or US-6003066-\$ or US-6064811-\$ or US-6426653-\$ or US-6453404-\$ or US-6496850-\$ or US-6453404-\$ or US-66772199-\$ or US-6480862-\$ or US-6526580-\$ or US-6425057-\$ or US-6546473-\$ or US-6438573-\$).did. or (US-6438573-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/11 11:52
S52	1	S50 and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:48
S54	1	S50 not S51 and (time near6 expir\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:55
S55	6717	((time timestamp life expirat\$5 frequency) adj3 (entry field value)) and ((ELF memory) near5 section)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:58
S56	42	S49 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 11:58
S57	41	S56 and (@ad<="20010406" or @rlad<="20010406")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 12:01

S60	9	S41 and (S50 or S51 or S55)	US-PGPUB; USPAT;	OR	ON	2005/01/11 12:00
			EPO; JPO; DERWENT; IBM_TDB			
S61	8	S60 and (@ad<="20010406" or @rlad<="20010406")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 12:01
S63		(US-20020087807-\$ or US-20020157089-\$ or US-20030004882-\$ or US-20030009538-\$ or US-20030093777-\$ or US-20030093777-\$ or US-20040044794-\$ or US-20020067820-\$ or US-20010013087-\$).did. or (US-5048085-\$ or US-5129084-\$ or US-5136712-\$ or US-5187790-\$ or US-5584035-\$ or US-5687368-\$ or US-5729710-\$ or US-6664811-\$ or US-6226653-\$ or US-6363488-\$ or US-6453404-\$ or US-6496850-\$ or US-6681381-\$ or US-6654948-\$ or US-6480862-\$ or US-6772199-\$ or US-6480862-\$ or US-6526580-\$ or US-6425057-\$ or US-6546473-\$ or US-6826599-\$ or US-6838573-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/11 14:34

S68	67	(US-20020087807-\$ or US-20020157089-\$ or US-20030004882-\$ or US-20030009538-\$ or US-20030030866-\$ or US-20030093777-\$ or US-20040044794-\$ or	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/11 14:34
		US-20040047794-5 OF US-20020067820-\$ or US-20010013087-\$).did. or (US-5048085-\$ or US-5129084-\$ or US-5136712-\$ or US-5187790-\$ or US-5584035-\$ or US-5687368-\$ or US-5729710-\$ or US-5842226-\$ or US-6003066-\$ or US-6064811-\$ or US-6226653-\$ or US-6363488-\$ or US-6453404-\$ or US-6496850-\$ or US-6681381-\$ or US-6772199-\$ or US-6480862-\$ or US-6526580-\$ or US-6425057-\$ or US-6546473-\$ or US-6826599-\$ or US-6826599-\$ or US-6438573-\$).did.				
S69	6	S68 and (object near4 (registered or registrat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:04
S70	2	S69 and expira\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:06
S71	16	S68 and (expira\$6 near8 time\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:19
S73	3	S68 and ((expira\$6 near8 time\$3) same (discard\$3 or remov\$3 or evict\$4 or expung\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:21
S74	9	S68 and (expira\$6 near8 time\$3) and ((cache or memory) near8 (discard\$3 or remov\$3 or evict\$4 or expung\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 15:26

S75	31	(US-20020087807-\$ or US-20030093777-\$ or US-20040044794-\$ or US-20020067820-\$ or US-20010013087-\$ or US-20020157089-\$).did. or (US-5129084-\$ or US-5136712-\$ or US-5187790-\$ or US-5584035-\$ or US-5687368-\$ or US-5729710-\$ or US-6064811-\$ or US-6226653-\$ or US-6363488-\$ or US-6453404-\$ or US-6496850-\$ or US-6681381-\$ or US-6772199-\$ or US-6425057-\$ or US-6546473-\$ or US-6526580-\$ or US-6425057-\$ or US-6490671-\$ or US-5890156-\$).did. or (US-6438573-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/11 15:26
S76	6	S75 and (expira\$6 near8 time\$3) and ((cache or memory) near8 (discard\$3 or remov\$3 or evict\$4 or expung\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2005/01/11 15:27
S77	2	"6,658,653".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 16:54
S78	31	(US-20010013087-\$ or US-20020067820-\$ or US-20020087807-\$ or US-20020157089-\$ or US-20030093777-\$ or US-20040044794-\$).did. or (US-5129084-\$ or US-5136712-\$ or US-5187790-\$ or US-5584035-\$ or US-5687368-\$ or US-5729710-\$ or US-6003066-\$ or US-604811-\$ or US-6226653-\$ or US-6425057-\$ or US-6453404-\$ or US-6480862-\$ or US-6526580-\$ or US-6546473-\$ or US-6658653-\$ or US-6654948-\$ or US-6658653-\$ or US-6654948-\$ or US-66772199-\$ or US-6826599-\$).did. or (US-6438573-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/12 08:37

S79	15	S78 and expir\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:44
S80	4464	((expir\$6 near8 time) same (delet\$4 discard\$5 remov\$4 expung\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:53
S81	135	((registration or registered) near4 (class object instance)) same ((field value) near3 (time threshold))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:55
S82	21695	(table persistent repository record) same ((registrat\$5 register\$5 attribute information) near5 (instance class object))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:57
S83	59	S81 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:57
S84	10	S83 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 09:57
S85	10	(@ad<="20010406" or @rlad<="20010406") and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR -	ON	2005/01/12 09:58

	T	<u> </u>	F	Ţ	ı	
S86	32	(US-20010013087-\$ or US-20020067820-\$ or US-20020087807-\$ or US-20020157089-\$ or US-20030093777-\$ or US-20040044794-\$).did. or (US-5129084-\$ or US-5136712-\$ or US-5187790-\$ or US-5584035-\$ or US-5687368-\$ or US-5729710-\$ or US-6003066-\$ or US-604811-\$ or US-6226653-\$ or US-6425057-\$ or US-6453404-\$ or US-6496850-\$ or US-6526580-\$ or US-6546473-\$ or US-6658653-\$ or US-6654948-\$ or US-6658653-\$ or US-6681381-\$ or US-6772199-\$ or US-6826599-\$ or US-6801223-\$).did. or (US-6438573-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/12 10:23
S87	1	S86 and (context same ((delet\$\$ remov\$4 discard\$4 expung\$4) near8 expir\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:31
S88	33	ORB and (context same ((delet\$\$ remov\$4 discard\$4 expung\$4) near8 expir\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:31
S89	4.	S88 not Accenture.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:52
S90	3	S86 and (ORB or (container and instantiat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 10:56
S92	3	S86 and ("garbage collection" and "hash table")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:19
S93	2	S86 and "garbage collection" and class and expir\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:41

S94	8	S86 and (((alarm notification exception) same (memory threshold exhausted)) or ((exception interrupt) same (memory threshold exhausted)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:45
S96	4	S94 and (Jvm (class adj file) or Java or (garbage adj2 collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/12 11:47
S97	33	(US-20010013087-\$ or US-20020067820-\$ or US-20020087807-\$ or US-20020157089-\$ or US-20030093777-\$ or US-20040044794-\$).did. or (US-5129084-\$ or US-5136712-\$ or US-5187790-\$ or US-5584035-\$ or US-5687368-\$ or US-5729710-\$ or US-5842226-\$ or US-5890156-\$ or US-6003066-\$ or US-6064811-\$ or US-6226653-\$ or US-6425057-\$ or US-6453404-\$ or US-6490671-\$ or US-6496850-\$ or US-6526580-\$ or US-6654948-\$ or US-6658653-\$ or US-6654948-\$ or US-6658653-\$ or US-6681381-\$ or US-6772199-\$ or US-6826599-\$ or US-6363411-\$).did. or (US-6438573-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/12 13:08
S98	12	S97 and notification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2005/01/12 13:09